

# Bestway. 20 CATALOG 24 COLLECTION

## Enjoy our extensive collection of products in our six catalogs.


- Above Ground Pools
- Air Mattresses
- Lay-Z-Spa
- Summer & License
- Watersports
- Camping Gear\*

#### **Digital Catalogs**

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway\* products can be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos







### VISION & MISSION

Since 1994, our vision has been to create fun, memorable experiences for everyone in the world through our innovative, dependable products.

Now, just over 25 years later, **Bestway** has forged a global presence in more than 100 countries by developing an extensive product line and becoming forward thinkers about sustainable business practices. Today, we manufacture and sell more than 1,100 different products within four core categories: above ground pools and portable spas, recreational products, sporting goods, and camping products.

#### SERVICE

**Bestway** is committed to customer satisfaction and providing you with the best product solutions. That's why every department in Bestway works closely together - from our technology and quality assurance centers to our laboratories, vertically integrated manufacturing systems and after-sales service centers around the globe.

**Bestway's** advanced online services and regional call centers allow customers to easily resolve issues that arise with their products, offering downloadable manuals, instructional videos, and 24/7 call support.



VERTICALLY



CUSTOMER FOCUSED



INNOVATIVE



SUSTAINABLE



CONSUMER DRIVEN



FULLY OWNED PRODUCTION FACILITIES



SERVICE & SOLUTIONS

### GLOBAL FACTORIES













YANCHENG

NANTONG

SHANGHAI

**VIETNAM** 

### AROUND THE WORLD



CHANDLER, U.S.A. R&D . SUBSIDIARY



SANTIAGO, CHILE SUBSIDIARY



SAN PAULO, BRAZIL SUBSIDIARY



HAMBURG, GERMANY SUBSIDIARY



NICE, FRANCE SUBSIDIARY



MILAN, ITALY R&D • SUBSIDIARY



COPENHAGEN, DENMARK SUBSIDIARY



WARSAW, POLAND SUBSIDIARY



DUBAI, U.A.E. SUBSIDIARY



MOSCOW, RUSSIA SUBSIDIARY



HONG KONG, CHINA R&D • SUBSIDIARY



SHANGHAI, CHINA HQ • PRODUCTION



SYDNEY, AUSTRALIA SUBSIDIARY






Almost a decade of advanced engineering innovations have built a name that people all around the world have grown to trust.

Lay-Z-Spa® offers an affordable spa experience that's convenient to use, easy to set up and offers total relaxation.

Backed by the Bestway® customer service team, consumers can enjoy peace of mind while relaxing in their brand new spa.

With different massage technologies, a Lay-Z-Spa offers the ultimate way to rest and recharge.



# CONTENTS

DERWATER RECHARGEABLE

# PRODUCT TECHNOLOGY



#### THE ORIGINAL PREMIUM PORTABLE SPA®

As a leading manufacturer of the inflatable, portable hot tub, Lay-Z-Spa has become an industry staple that consumers know and trust. From technological innovations to style, Lay-Z-Spa leads the market. High-functioning components and safety are the main priorities of the spa line, providing consumers with products they can depend on.



#### FREEZE SHIELD TECHNOLOGY

#### COMFORT IN THE COLD

Freeze Shield™ successfully equips the spa for year-round, all-weather use. Designed with innovative winterizing technology and an improved material, these spas automatically increase water circulation and heating when temperatures are low to prevent the inner parts from damage.



#### THERMAL INSULATION

HIGH ENERGY-EFFICIENCY, LOW ELECTRIC BILL

The EnergySense" thermal covers and liners retain more heat than PVC material alone. This allows the spa to heat up faster and stay hotter longer, leading to as much as 40% higher energy-efficiency.







# PRODUCT SAFETY


Safety is our top priority when designing and producing our inflatable spas. We are consistently upgrading our products to ensure that consumer safety is never compromised. Currently, Lay-Z-Spa is the only brand on the market that uses this exclusive GDS & GLEDS technology.

#### **GDS**

#### **GROUND DETECTION SYSTEM**

With safety as a priority, every spa is equipped with our advanced, marketleading Ground Detection System which monitors the energy supply to ensure it is being used safely. If the system detects an issue, the pump alerts the user and does not allow further use until the power supply is correctly earthed.







#### **GLEDS**

### GROUND LINE ELECTRIC DETECTION SYSTEM

Once the spa is plugged in, the system continuously monitor the ground of the electrical system in the house and will advise the user with the E18 code if conditions are unsafe.





# MASSAGE TECHNOLOGY



#### ©© AIRJET™ ©© SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.




#### © AIRJET PLUS © SYSTEM

Enjoy a deeper massage with AirJet Plus! Air bubbles are released from both the perimeter and center of the bottom of the spa to target both the legs and back.



### SYSTEM

HydroJet Pro is the best of both worlds! Adjustable nozzles along the inside walls of the spa release soothing jetstreams of water, while jets along the bottom release a calming flow of air bubbles specificall targeting your feet and back.



# MATERIAL TECHNOLOGY

#### BEAM CONSTRUCTION

#### DELIVERING STRENGTH AND COMFORT

The internal construction of each spa is designed to offer superior structural stability while still maintaining a comfortable surface. It always provides a luxurious spa experience, no matter how many times it's inflated or deflated.

#### MAXHOLD™ MATERIAL

#### DURABLE COMFORT


MaxHold™ internal beams maintain their shape over time, enabling the spa to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.


#### FORTIFIBER MATERIAL

#### DROP STITCH DURABILITY

Inflated walls made from FortiFiber material provide unparalleled strength. Thousands of fine threads securely connect the sidewalls, which seal in air to create a rigid and sturdy spa. Not only great for durability, but this also makes the spa more spacious on the inside.







#### **SPA MATERIAL** CONTRUCTION

#### WALL AND TOP RING -

Our spas feature DuraPlus™ 3-ply material that makes up the external layer of the hot tub. The material is an exclusive formula of mesh encased in PVC to increase the strength, puncture-resistance and overall longevity of the spa.



# NEW SPANAMING CONVENTIONS



#### 1. FAMILY GROUPS

THE OFFICIAL NAME WILL BE A CITY DETERMINED BY THE SHAPE AND USER CAPACITY:

SHAPE	Round	Round	Round	Round	Square	Oval	Round	Square	Round
USER CAPACITY	2-3 Adults	2-4 Adults	3-5 Adults	4-6 Adults	4-6 Adults	5-7 Adults	5-7 Adults	5-7 adults	6-8 Adults
FAMILY NAME	St. Lucica	Miami	Bali	Paris	Hawaii	Mauritius	Santorini	Maldives	Grenada

#### 2 SPECIAL FEATURE

A PRE-DEFINED DESCRIPTOR IS ADDED TO THE NAME BASED ON THE FOLLOWING HIERARCHY:

SPECIAL FEATURE	EnergySen <b>se</b> ™	Smart	Luxe	Signature
MEANING	Thermal liner	Wi-Fi integration	LED lights	Graphic print

<sup>\*</sup>If more than one special feature is present on the product, the item will take the name of the highest-ranking feature in the hierarchy.

#### 3 MASSAGE SYSTEM

THE NAME OF THE MASSAGE SYSTEM IS ADDED TO THE END OF THE NAME:

HydroJet™ HydroJet Pro™

#### 4. MATERIAL SERIES

Spa packaging will receive an update to include upgraded callout treatment for premium materials along the right hand side of the front and back panels.

MATERIAL

FortiFiber™ Series

ThermaCore™ Series

MaxHold™ Series


#### IMPLEMENTATION

All existing products will be updated to include the Special Feature and Material Series, but they will keep the existing city name.

All new products beginning in the 2024 season will follow the new convention system outlined here.

Some naming conventions may apply to Special Edition spas only

#### PACKAGING EXAMPLE:



3. MASSAGE SYSTEM

1. FAMILY GROUP

MATERIAL

### Bestway

# SMART HUB APP



#### HEAT CONTROL

Create, save and edit multiple timers to apply the perfect temperature anytime throughout the week



#### **SETTIMER**

Set the Power Saving Timer to only rur the system during the selected times



#### FILTRATION

Allows for multiple timers to be created for water filter activation



#### MASSAGE SETTINGS

Run the massage system with the touch of a button



#### MASSAGE REGULATION

A special feature on some spas allows the user to choose from two massage bubble intensity levels, giving them control over their relaxation experience



#### APP CONNECTION

#### DELIVERING CONVENIENCE AND COMFORT

With the Bestway Smart Hub" app, control is right in the palm of your hand. This innovation makes the Lay-Z-Spa one of the most convenient in the market. Compatible with smart devices, the Spa Control section of the app lets you control the spa's temperature, activate the Power Saving Timer, change the water filter and control the massage system with just the touch of a button!



#### **QUICK SET-UP**



DOWNLOAD THE BESTWAY SMART HUB™ APP



CLICK ON SPA



FOLLOW THE SET-UP INSTRUCTIONS

# PLANOGRAM



### 2024 LAY-Z-SPA COLLECTION

#### FEATURES KEY



瀚 FREEZE SHIELD™




FOOT MASSAGE

MASSAGE REGULATION

IS INTEGRATED SEATS

(♥) ENERGYSENSE™

2-3 ADULTS   ROUND				
			E	
			FIJI SIGNATURE 60085	
			AIRJET	
		PVC & DURAPLUS	PVC & DURAPLU5™	
		1.80 m x 66 cm (71" × 26")	1.80 m x 66 cm (71" x 26")	
		1.32 m (52")	1.32 m (52")	
	669 L (177 gal.)	669 L (177 gal.)		
110	120	120		
- 5	4 7 4			
4-6 ADULTS   ROUND				







# SYSTEM

### FLOAT AWAY ON A CLOUD OF BUBBLES WITH AN AIRJET MASSAGE.

Soothe your body and relax your mind with the touch of a button.

Simply press the massage button on the control panel, and the AirJet™ system will surround you with calming bubbles.









#### MULTI-FUNCTION PUMP

The included spa pump is convenient and accessible, complete with a digital interface and cup holders. This pump inflates the spa, starts the heating and massage systems, and can activate the filtration system. The best part is the design now allows users to adjust their needs without standing up or exiting the spa.



# ST. LUCIA

- Soothing AirJet<sup>™</sup> bubble massage system (110 jets)
- Ultra-strong DuraPlus™ walls are stress-tested to offer durability
- Program the spa heater up to 40 days in advance for future use
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips

#### CONTENTS

- 1 spa
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- 1 ChemConnect<sup>™</sup> dispense
- 1 repair patch
- AirJet™ system



# ST. LUCIA

#### **DURAPLUS™ MATERIAL**

WALL AND TOP RING


The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



#### **SPECIFICATIONS**

WATER CAPACITY	605 L (160 gal.)		
INFLATED SIZE	1.70 m x 66 cm (67" x 26")		
INNER SIZE	1.24 m (49")		
FILLED WEIGHT	630 kg (1,389 lbs)		
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)		
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)		
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)		
CERTIFICATION	CE/GS		
PACK/GROSS WEIGHT	1 Ea., 32.41 kg (71.45 lbs)		





### DIGITAL CONTROL PANEL

LED Display

Lock/Unlock Button

Power Saving Timer

Celsius/ Fahrenheit

Heat Activation

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

AirJet™ Massage





# MIAM 60001

- Soothing AirJet<sup>™</sup> bubble massage system (120 jets)
- Ultra-strong DuraPlus<sup>™</sup> walls are stress-tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips

#### CONTENTS

- 1 spa
- · 1 pool cover
- · 1 spa pump
- 1 filter cartridge (VI)
- 1 ChemConnect™ dispenser
- 1 repair patch
- AirJet<sup>™</sup> system





#### **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



#### **SPECIFICATIONS**

WATER CAPACITY	669 L (177 gal.)		
INFLATED SIZE	1.80 m x 66 cm (71" x 26")		
INNER SIZE	1.32 m (52")		
FILLED WEIGHT	696 kg (1,534 lbs)		
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)		
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)		
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)		
CERTIFICATION	CE/GS		
PACK/GROSS WEIGHT	1 Ea., 33.93 kg (74.80 lbs)		

















CAPACITY 2-4 PEOPLE





### DIGITAL CONTROL PANEL

LED Display

Lock/Unlock Button

Power Saving Timer

> Celsius/ Fahrenheit

Heat Activation



Temperature/ Hour Adjustment

- Power Button ON/OFF

Water Filter Activation

... AirJet™ Massage





### BAHAMAS SIGNATURE

60005

- Soothing AirJet<sup>™</sup> bubble massage system (120 jets)
- Ultra-strong DuraPlus<sup>™</sup> walls are stress-tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- · Program the spa heater up to 40 days in advance for future use
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

#### CONTENTS

- · I spa
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- 1 ChemConnect™ dispenser
- 1 repair patch
- AirJet™ system



### **BAHAMAS SIGNATURE**

60005

#### **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



#### **SPECIFICATIONS**

WATER CAPACITY 669 L (177 gal.) 1.80 m x 66 cm (71" x 26") INFLATED SIZE 1.32 m (52") **INNER SIZE** 696 kg (1,534 lbs) FILLED WEIGHT 220-240V~ 50Hz, 2050W at 20°C (68°F) RATING ACTUAL WATER FLOW 1,325 L/h (350 gal./h) HEATING SYSTEM Approx. 1.5-2.0°C/h (3-4°F/h) CERTIFICATION CE/GS PACK/GROSS WEIGHT 1 Ea., 33.93 kg (74.80 lbs)





MASSAGE SYSTEM







# DIGITAL CONTROL PANEL

LED Display

Lock/Unlock Button

Power Saving Timer

Celsius/ Fahrenheit

Heat -Activation

Water Filter Activation

AirJet™ Massage

Temperature/ Hour Adjustment

Power Button ON/OFF





# FIJI SIGNATURE 60085

- Soothing AirJet™ bubble massage system (120 jets)
- Ultra-strong DuraPlus<sup>™</sup> walls are stress-tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

- 1 spa
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- 1 ChemConnect™ dispense
- 1 repair patch
- AirJet™ system





## **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



## **SPECIFICATIONS**

WATER CAPACITY	669 L (177 gal.)
INFLATED SIZE	1.80 m x 66 cm (71" x 26")
INNER SIZE	1.32 m (52")
FILLED WEIGHT	696 kg (1,534 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 33.93 kg (74.80 lbs)





# DIGITAL CONTROL PANEL

ED Display

Lock/Unlock Button

Power Saving Timer --

> Celsius/ Fahrenheit

Heat · Activation °C Temperature/ Hour Adjustment

> Power Button ON/OFF

Water Filter Activation

··· AirJet™ Massage





# HAVANA SMART

60035

- Soothing AirJet<sup>™</sup> bubble massage system (120 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus™ walls are stress-tested to offer durability
- Freeze Shield<sup>™</sup> automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

- · 1 spa
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- 1 ChemConnect\*\* dispenser
- 1 repair patch
- AirJet<sup>™</sup> system



# HAVANA SMART 60035

## **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



## **SPECIFICATIONS**

WATER CAPACITY	669 L (177 gal.)
INFLATED SIZE	1.80 m x 66 cm (71" x 26")
INNER SIZE	1.32 m (52")
FILLED WEIGHT	696 kg (1,534 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 33.93 kg (74.80 lbs)





# DIGITAL CONTROL PANEL



Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation





# BORACAY SMART

60175

- Soothing AirJet<sup>™</sup> bubble massage system (120 jets)
- · Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus™ walls are stress-tested to offer durability
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

- · 1 spa
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- · 1 ChemConnect™ dispenser
- 1 repair patch
- AirJet<sup>™</sup> system



# **BORACAY** SMART

60175

## **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



## **SPECIFICATIONS**

669 L (177 gal.)
1.80 m x 66 cm (71" x 26")
1.32 m (52")
696 kg (1,534 lbs)
220-240V~ 50Hz, 2050W at 20°C (68°F)
1,325 L/h (350 gal./h)
Approx. 1.5-2.0°C/h (3-4°F/h)
CE/GS
1 Ea., 33.93 kg (74.80 lbs)





FREEZE SHIELD™






AIRJET"
MASSAGE SYSTEM











ED Display -

Lock/Unlock Button

Power Saving Timer

> Celsius/ Fahrenheit

Heat Activation

AirJet™ Massage



Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

Wi-Fi -- Connection





# IBIZA 60015

- Soothing AirJet<sup>™</sup> bubble massage system (140 jets)
- Ultra-strong DuraPlus™ walls are stress-tested to offer durability
- Freeze Shield  $^{\mathsf{IM}}$  automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips

- 1 spa
- · 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- 1 ChemConnect™ dispenser
- 1 repair patch
- AirJet<sup>™</sup> system





### **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



### **SPECIFICATIONS**


778 L (205 gal.) WATER CAPACITY 1.80 m x 1.80 m x 66 cm INFLATED SIZE (71" x 71" x 26") INNER SIZE 1.32 m x 1.32m (52" x 52") 808 kg (1,781 lbs) FILLED WEIGHT RATING 220-240V~ 50Hz, 2050W at 20°C (68°F) ACTUAL WATER FLOW 1,325 L/h (350 gal./h) HEATING SYSTEM Approx. 1.5-2.0°C/h (3-4°F/h) CERTIFICATION CE/GS PACK/GROSS WEIGHT 1 Ea., 37.70 kg (83.11 lbs)

# **FEATURES**






MASSAGE SYSTEM









# DIGITAL CONTROL PANEL

LED Display Lock/Unlock Button Power Saving Timer Celsius/ Fahrenheit

Heat -Activation

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

AirJet<sup>™</sup> Massage





# HOLLYWOOD

60059

- Soothing AirJet<sup>™</sup> bubble massage system (140 jets)
- Ultra-strong DuraPlus<sup>™</sup> walls are stress-tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the spa
- Remote-controlled plug-in multicolored LED light shines through the semi-transparent liner to illuminate the water












- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

- 1 spa
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- 1 ChemConnect™ dispenser
- 1 LED light strip
- 4 pillows
- 1 repair patch
- AirJet<sup>™</sup> system



# HOLLYWOOD

60059

### **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



## **SPECIFICATIONS**

WATER CAPACITY	908 L (240 gal.)
INFLATED SIZE	1.96 m x 66 cm (77" x 26")
INNER SIZE	1.48 m (58")
FILLED WEIGHT	940 kg (2,072 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 39.27 kg (86.57 lbs)





# DIGITAL CONTROL PANEL

LED Display

Lock/Unlock Button

Power Saving Timer --

> Celsius/ Fahrenheit

Heat Activation °C
°F
Hour
Adjustment

·· Power Button ON/OFF

Water Filter Activation

… AirJet™ Massage






# HAVAII SMART

60261

- Soothing AirJet™ bubble massage system (140 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus<sup>™</sup> walls are stress-tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- Remote-controlled plug-in multicolored LED light shings through the semi-transparent liner to illuminate the water
- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips

- 1 spa
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- · 1 ChemConnect™ dispenser
- · 1 LED light strip
- 4 pillows
- 1 repair patch
- AirJet<sup>™</sup> system





## **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



## **SPECIFICATIONS**

WATER CAPACITY	778 L (205 gal.)
INFLATED SIZE	1.80 m x 1.80 m x 66 cm (71" x 71" x 26")
INNER SIZE	1.32 m x 1.32m (52" x 52")
FILLED WEIGHT	810 kg (1,786 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 39.65 kg (87.41 lbs)

# **FEATURES**







AIRJET™ MASSAGE SYSTEM





CAPACITY 4-6 PEOPLE





7-COLOR LED LIGHTS



REGULATION 2 INTENSITY LEVELS



**BESTWAY SMART** 



# DIGITAL CONTROL PANEL

LED Display

Lock/Unlock
Button

Power Saving

Timer

Celsius/
Fahrenheit

Heat

Activation

AirJet™

Massage

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

Wi-Fi ···· Connection





# ZURICH

60065

- Soothing AirJet™ bubble massage system (120 jets)
- EnergySense<sup>™</sup> insulated cover makes this spa as much as 40% more energy efficient
- Ultra-strong DuraPlus™ walls are stress-tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- · Reinforced cover with safety lock clips

- 1 pool liner
- · 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- 1 ChemConnect™ dispenser
- 1 repair patch
- AirJet<sup>™</sup> system





## DURAPLUS™ MATERIAL

#### WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.

#### ENERGYSENSE™ INSULATED COVER

Insulated cover speeds up heating time and prevents heat loss, making the Zurich as much as 40% more energy efficient than similar inflatable spas.



WATER CAPACITY	669 L (177 gal.)
INFLATED SIZE	1.80 m x 66 cm (71" x 26")
INNER SIZE	1.32 m (52")
FILLED WEIGHT	703 kg (1,550 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.8-2.4°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 43.85 kg (96.67 lbs)



## **FEATURES**



FREEZE SHIELD™



AIRJET™ MASSAGE SYSTEM




PUMP



CAPACITY 2-4 PEOPLE



ENERGYSENSE\*



# DIGITAL CONTROL PANEL

LED Display

Lock/Unlock Button

Power Saving Timer

Celsius/ Fahrenheit

Heat -Activation



Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

AirJet<sup>™</sup> Massage





# BUDAPEST ENERGYSENSE

60179

- Soothing AirJet<sup>™</sup> bubble massage system (140 jets)
- Massage regulator provides 2 intensity level options
- EnergySense<sup>™</sup> insulated cover makes this spa as much as 40% more energy efficient
- Ultra-strong DuraPlus™ walls are stress-tested to offer durability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- · Reinforced cover with safety lock clips

- 1 pool liner
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- · 1 ChemConnect™ dispenser
- 1 repair patch
- AirJet™ system



# BUDAPEST ENERGYSENSE<sup>M</sup>

60179

### **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.

#### ENERGYSENSE™ INSULATED COVER

Insulated cover speeds up heating time and prevents heat loss, making the Budapest as much as 40% more energy efficient than similar inflatable spas.





## **SPECIFICATIONS**

WATER CAPACITY	908 L (240 gal.)
INFLATED SIZE	1.96 m x 66 cm (77" x 26")
INNER SIZE	1.48 m (58")
FILLED WEIGHT	945 kg (2,083 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.8-2.4°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 46.42 kg (102.34 lbs)







MASSAGE SYSTEM







**BESTWAY SMART** 





# DIGITAL CONTROL PANEL

LED Display
Lock/Unlock
Button
Power Saving
Timer
Celsius/
Fahrenheit
Heat
Activation
AirJet™
Massage

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

Wi-Fi Connection





# HONOLULU

60019

- Soothing AirJet<sup>™</sup> bubble massage system (140 jets)
- Massage regulator provides 2 intensity level option
- Ultra-strong DuraPlus<sup>™</sup> walls are stress-tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Rattan print on outside with mosaic print on the inside
- · Reinforced cover with safety lock clips

- 1 spa
- 1 pool cover
- 1 spa pump
- · 1 filter cartridge (VI)
- · 1 ChemConnect™ dispenser
- 1 repair patch
- AirJet<sup>™</sup> system





# HONOLULU SMART

60019

## **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.

# MAXHOLD™ MATERIAL

**INTERNAL BEAMS** 


MaxHold™ internal beams maintain their shape over time, enabling the spa to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.

### **SPECIFICATIONS**

WATER CAPACITY	916 L (242 gal.)
INFLATED SIZE	1.96 m x 71 cm (77" x 28")
INNER SIZE	1.46 m (57")
FILLED WEIGHT	947 kg (2,088 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 38.59 kg (85.08 lbs)









### HAVVAII SMART

60021

- Soothing AirJet™ bubble massage system (140 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus™ walls are stress-tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

- 1 spa
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- 1 ChemConnect dispenser
- 1 repair patch
- AirJet<sup>™</sup> system





### **SMART**

60021

#### **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



MaxHold™ internal beams maintain their shape over time, enabling the spa to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.





#### **SPECIFICATIONS**

WATER CAPACITY	840 L (222 gal.)
INFLATED SIZE	1.80 m x 1.80 m x 71 cm (71" x 71" x 28")
INNER SIZE	1.30 m x 1.30 m (51" x 51")
FILLED WEIGHT	871 kg (1,921 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 38.30 kg (84.44 lbs)








AIRJET™ MASSAGE SYSTEM







**BESTWAY SMART** HUB™ APP



Lock/Unlock Button

Power Saving Timer

Fahrenheit

Heat Activation

AirJet<sup>™</sup> Massage

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

Wi-Fi Connection





### ST. MORITZ SMART

60023

- Soothing AirJet<sup>™</sup> bubble massage system (180 jets)
- · Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus™ walls are stress-tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- · Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

- 1 spa
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- •1 ChemConnect™ dispenser
- 1 repair patch
- · AirJet™ system





## ST. MORITZ SMART

60023

#### DURAPLUS™ MATERIAL

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



MaxHold™ internal beams maintain their shape over time, enabling the spa to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.





#### **SPECIFICATIONS**

WATER CAPACITY	1,190 L (314 gal.)
INFLATED SIZE	2.16 m x 71 cm (85" x 28")
INNER SIZE	1.66 m (65")
FILLED WEIGHT	1,225 kg (2,702 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 43.19 kg (95.22 lbs)



#### **FEATURES**



FREEZI SHIELD



AIRJET™ MASSAGE SYSTEM



MULTI-FUNCTION
PUMP




CAPACITY -7 PEOPLE



MASSAGE REGULATION 2 INTENSITY LEVELS



BESTWAY SMART HUB™ APP



LED Display Lock/Unlock Button Power Saving Timer Celsius/ Fahrenheit Heat Activation

Temperature/ Hour Adjustment

Power Button ON/OFF

Wi-Fi Connection






# GRENADA

60135

- Soothing AirJet<sup>™</sup> bubble massage system (190 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus<sup>™</sup> walls are stress-tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips

- 1 spa
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI
- •1 ChemConnect™ dispenser
- 1 repair patch
- AirJet<sup>™</sup> system





#### GRENADA **SMART**

60135

#### **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.




MaxHold™ internal beams maintain their shape over time, enabling the spa to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.



WATER CAPACITY	1,350 L (357 gal.)
INFLATED SIZE	2.36 m x 71 cm (93" x 28")
INNER SIZE	1.86 m (73")
FILLED WEIGHT	1,389 kg (3,062 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 48.01 kg (105.84 lbs)







# SYSTEM

### MASSAGING BUBBLES ARE THE PERFECT WAY TO UNWIND.

The AirJet Plus™ system releases bubbles from both the bottom and the sidewalls of the spa to target both the legs and back.

#### **FOOT MASSAGE**

The AirJet Plus™ system features additional jets, strategically placed to provide a relaxing foot massage. By placing another circle of massage bubbles in the center of the spa, we are able to target the legs as well as the back of the user.



### AIRJET™ POSITIONING MULTI-FUNCTION PUMP The included spa pump is convenient and accessible, complete with a digital interface and cup holders. This pump inflates the spa, starts the heating and massage systems, and can activate the filtration system. The design also just received a convenient upgrade - spa users can now reach the digital interface from inside the spa. No standing or exiting needed! COMBINATION HEAT & AIR MASSAGE



#### NEW GENERATION

### MILAN SMART

60029

- Soothing AirJet Plus<sup>™</sup> targeted bubble massage system (140 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus™ walls are stress-tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- Reinforced cover with safety lock clips

- 1 spa
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- 1 ChemConnect dispenser
- 1 repair patch
- AirJet Plus<sup>™</sup> system





#### **DURAPLUS™ MATERIAL**

#### WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



MaxHold™ internal beams maintain their shape over time, enabling the spa to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.





#### **SPECIFICATIONS**

WATER CAPACITY	916 L (242 gal.)
INFLATED SIZE	1.96 m x 71 cm (77" x 28")
INNER SIZE	1.46 m (57")
FILLED WEIGHT	948 kg ( 2,089 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 38.67 kg (85.25 lbs)



#### **FEATURES**
















LED Display Lock/Unlock Button

Power Saving Timer

Celsius/ Fahrenheit

Heat Activation

AirJet Plus™ Massage

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

Wi-Fi Connection





### HELSINKI SMART

60025

- Soothing AirJet Plus<sup>™</sup> bubble massage system (180 jets)
- Massage regulator provides 2 intensity level options
- Walls are made of FortiFiber™ material, providing a strong and durable hard-sided spa
- Freeze Shield<sup>™</sup> automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the spa
- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips

- 1 spa
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- 1 ChemConnect<sup>™</sup> dispenser
- 1 high pressure hand pump
- 1 repair patch
- AirJet Plus<sup>™</sup> system





### HELSINKI SMART

60025

#### FORTIFIBER™ MATERIAL

**DROP STITCH STRENGTH & DURABILITY** 

The FortiFiber™ walls are constructed using thousands of fine threads to securely connect the internal walls, seal in air, and provide lightweight rigidity that is similar to a hard-sided spa.




#### **SPECIFICATIONS**

WATER CAPACITY	1,123 L (297 gal.)
INFLATED SIZE	1.80 m x 66 cm (71" x 26")
INNER SIZE	1.70 m (67")
FILLED WEIGHT	1,155 kg (2,548 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 40.13 kg (88.47 lbs)









### PERFECT SPA RELAXATION AT YOUR FINGERTIPS.

HydroJet Pro<sup>™</sup> is the best of both worlds! Adjustable nozzles along the inside walls of the spa release soothing jetstreams of water, while jets along the bottom release a calming flow of air bubbles specifically targeting your feet and back.






#### FLOW CONTROL & DIRECTION

Pivot the nozzle to direct the jet wherever you wish. Twist the bezel to adjust the flow rate.





HYDROJET™ POSITIONING







#### MULTI-FUNCTION PUMP

The included spa pump is convenient and accessible, complete with a digital interface and cup holders. This pump inflates the spa, starts the heating and massage systems, and can activate the filtration system. The design also just received a convenient upgrade – spa users can now reach the digital interface from inside the spa. No standing or exiting needed!



COMBINATION HEAT & AIR MASSAGE



### SANTORINI **SMART**

60075

- · Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus<sup>™</sup> walls are stress tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention. stability and lightweight portability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect™ dispenser provides a stable level of chlorine throughout the spa
- ColorJet LED lights alternate between 7 different colors


















- · Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips
- Inflatable seat and padded pillows provide an ultra-comfortable experience

- · 1 spa
- · 1 pool cover
- · 1 spa pump
- 1 filter cartridge (VI)
- •1 ChemConnect™ dispenser
- 5 pillows
- 2 water powered LED lights
- 1 repair patch
- HydroJet Pro™ system





### SANTORINI SMART

60075

#### **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



MaxHold™ internal beams maintain their shape over time, enabling the spa to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.





#### **SPECIFICATIONS**

WATER CAPACITY	1,190 L (314 gal.)
INFLATED SIZE	2.16 m x 80 cm (85" x 31.5")
INNER SIZE	1.66 m (65")
FILLED WEIGHT	1,251 kg (2,757 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 73.43 kg (161.88 lbs)



#### **FEATURES**











SHIELD™

HYDROJET PRO™ MASSAGE SYSTEM

MULTI-FUNCTION PUMP

CAPACITY 5-7 PEOPLE

PADDED PILLOWS



LED LIGHTS




INTEGRATED SEATS



REGULATION 2 INTENSITY LEVELS



**BESTWAY SMART** HUB™ APP



LED Display

Lock/Unlock Button

Power Saving Timer

> Celsius/ Fahrenheit

Heat Activation

> AirJet™ Massage

Wi-Fi --- Connection

> Power Button ON/OFF

· Temperature/ Hour Adjustment

Water Filter Activation

·· HydroJet Pro™ Massage





# MALDIVES SMART

60033

- · Hydrodynamic water jetstream and air bubble massage system (8 jetstream nozzles and 180 jets)
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus<sup>™</sup> walls are stress tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield™ automatic heating prevents water from freezing & damaging. the spa
- Program the spa heater up to 40 days in advance for future use
- Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the spa
- ColorJet LED lights alternate between 7 different colors

















- Power-saving, timer-controlled heating system
- Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa
- · Reinforced cover with safety lock clips
- Inflatable seat and padded pillows provide an ultra-comfortable experience

- 1 spa
- · 1 pool cover
- · 1 spa pump
- 1 filter cartridge (VI)
- · 1 ChemConnect™ dispenser
- 5 pillows
- 2 water powered LED lights
- 1 repair patch
- HydroJet Pro<sup>™</sup> system





#### **MALDIVES SMART**

60033

#### **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.

#### MAXHOLD™ MATERIAL INTERNAL BEAMS

MaxHold™ internal beams maintain their shape over time, enabling the spa to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.






#### **SPECIFICATIONS**

WATER CAPACITY	1,050 L (277 gal.)
INFLATED SIZE	2.01 m x 2.01 m x 80 cm (79" x 79" x 31.5")
INNER SIZE	1.51 m x 1.51 m (59" x 59")
FILLED WEIGHT	1,115 kg (2,457 lbs)
RATING	220-240V~50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 78.47 kg (172.99 lbs)





LED Display Lock/Unlock Power Saving Timer Celsius/ Fahrenheit Heat Activation AirJet™ Massage

Wi-Fi Connection

Power Button ON/OFF

Temperature/ Hour Adjustment

Water Filter Activation

HydroJet Pro™ Massage





### SAN FRANCISCO **SMART**

60161

- · Hydrodynamic water jetstream and air bubble massage system. (10 jetstream nozzles and 180 jets)
- · Jet massage nozzles integrated into the back of the lounge and leg massage integrated into the single lounge
- Massage regulator provides 2 intensity level options
- Ultra-strong DuraPlus<sup>™</sup> walls are stress tested to offer durability
- MaxHold<sup>™</sup> fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield™ automatic heating prevents water from freezing & damaging the spa,
- Program the spa heater up to 40 days in advance for future use
- · Built-in Wi-Fi module, spa can be controlled through a phone app
- ChemConnect<sup>™</sup> dispenser provides a stable level of chlorine throughout the spa
- ColorJet LED lights alternate between 7 different colors.



















- · Digital control panel & spa pump with integrated filtration system includes cup holders and is accessible from inside the spa-
- · Reinforced cover with safety lock clips
- Inflatable seats and padded pillows provide an ultra-comfortable experience

- 1 spa
- 1 pool cover
- 1 spa pump
- 1 filter cartridge (VI)
- 1 ChemConnect<sup>™</sup> dispenser
- 5 pillows
- 2 water powered LED lights
- 1 repair patch
- HydroJet Pro<sup>™</sup> system





#### SAN FRANCISCO SMART

60161

#### **DURAPLUS™ MATERIAL**

WALL AND TOP RING

The outer surface of this spa is constructed with premium DuraPlus™ material, providing superior durability, stretch resistance and structural stability.



MaxHold™ internal beams maintain their shape over time, enabling the spa to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the spa market.




#### **SPECIFICATIONS**

WATER CAPACITY	1,180 L (312 gal.)
INFLATED SIZE	2.30 m x 2.30 m x 71 cm (90.5" x 90.5" x 28")
INNER SIZE	1.80 m x 1.80 m (71" x 71")
FILLED WEIGHT	1,256 kg (2,768 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 91.68 kg (202.12 lbs)



2 INTENSITY LEVELS








## XTRAS

## ACCESSORIES TO COMPLEMENT YOUR SPA.

Take the dirty work out of spa maintenance with the wide variety of accessory options that Bestway® offers.






## UNDERWATER VACUUM

LIGHTWEIGHT POLE for easy manueverability

WATER FLOW SUCTION connects to water outlets in spa

BRUSH HEAD sweeps away dust and dirt

collects leaves and other particles



## NEW

## RECHARGEABLE UNDERWATER VACUUM

## TWO-SECTION POLE

with total reach of approximately 1.55 m / 5.1 '

TRANSPARENT BODY shows debris level

RECHARGEABLE plug, charge, and clean!

PIVOTING SUCTION HEAD



## PILLOW 60307

- Compatible with all spas with a wall thickness between 20-27 cm (7.9"-10.6")




## PADDED PILLOW

- · Soft pillow provides head and neck supp
- Adjustable strap drapes over the side of the spa using the balance weight to keep it in place
- · Compatible with all Lay-Z-Spa
- · Comfortable sponge pillow is







## DRINK HOLDER



# 7-COLOR LED LIGHT

- · LED light alternates between
- · 2 hours of run time with auto-shutoff
- · One-touch operation: simply press top butto
- · Full color box















- 3.90 m x 3.90 m x 2.55 m / 12'9" x 12'9" x 8'4"
- Fabric with UV protection
- Fits all Bestway spas
- 4 large inside pockets to store personal items
- 4 detachable fabric and mesh doors, suitable for both winter and summer
- Suitable as a gazebo for use in the garden or backyard
- Can be used for pools up to 3.66 m (12") diameter
- Setup time: 15 min.
- Full color box
- 2 Ea., 34.36 kg (75.75 lbs)

## CONTENTS

- 1 tent
- 4 detachable fabric doors
- · 4 detachable mesh doors
- 1 carry bag

## CANOPY



## NEW

## FLOOR PROTECTOR

- Compatible with all spas, multiple sets may be needed for spas larger than 1.96 m x 1.96 m (77" x 77")
- · Durable polyethylene material that provides protection



## ALLIN ONE TOOL SET

- · Full color box
- 8 Ea., 7.30 kg (16.09 lbs)

## CONTENTS

- · 1 scoop
- 1 brush
- 1 scrubbing mitt

## 1. SCOOP

- · Bumper protects spa surface
- Rounded shape design fits the contours of the spa interior
- Deep net to collect debris
- Handheld or connects to standard telescopic pole

## 2. SCRUBBING MITT

- · Scrub along spa water line
- Latex glove bonded with scrubber pad

## 3. BRUSH

- Bumper and nylon bristles protect spa's surface
- Handheld or connects to standard telescopic pole



# FILTER CARTRIDGE(VI) 60311

10.6 cm x 8.0 cm / 4.2" x 3.1"

- · Easy to clean
- Shrink wrapped with insert card
- 12 Sets., 2.79 kg (6.15 lbs)

## CONTENTS

2 filter cartridges



## POOL& SPATEST STRIPS

58142

- 4 cm x 9.5 cm / 1.5" x 3.75"
- 3-in-1 test strips use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4) & total alkalinity (0-240 ppm)
- 18-month shelf life
- · Full color box
- · 24 Ea., 1.37 kg (3.02 lbs)

## ONTENTS

• 50 test strips







# TECHNICAL FEATURES & ACCESSORY COMPATIBILITY

				G WHILL		a to the little				
747 287 T. T. T. T.	ST. LUCIA 60037	MIAMI 60001	BAHAMAS SIGNATURE 60005	FIJI SIGNATURE 60085	HAVANA SMART 60035	BORACAY SMART 60175	IBIZA 60015	HOLLYWOOD LUXE 60059	HAWAII SMART 60261	
STANDARD BEAM										
MAXHOLD™ BEAM										
FORTIFIBER™										
POWER SAVING TIMER										
WATER FILTER ACTIVATION										
HEATING SYSTEM					take .					
LED LIGHTS										
APP REMOTE CONTROL										
UNDERWATER VACUUM 60323			,							
RECHARGEABLE UNDERWATER VACUUM 60327										
PILLOW 60307		1								
PADDED PILLOW 60316									*******	
SPA SEAT 60321	V									
DRINK HOLDER 60306										
SOOTHING LED WATERFALL 60322										
7-COLOR LED LIGHT 60303										
DOME 60305	164									
CANOPY 60304										
ALL IN ONE TOOL SET										
POOL & SPA TEST STRIPS 58142										
FILTER CARTRIDGE(VI) 60311										
FLOOR PROTECTOR 60334										



# SETUP & MAINTENANCE

## WITH THE KEY TOOLS ALREADY INCLUDED, LAY-Z-SPA SETUP IS QUICK & EASY!

After finding a flat area for the spa, it's as easy as 1, 2, 3!

- 1. INFLATE the spa with the multi-function pump.
- 2. CONNECT the pump to the spa, and ensure all of the tubes are attached to the correct openings.
- 3. FILL the spa with water to the indicated level, and enjoy

Also included with each spa is a chemical dispenser and filter cartridge to keep the water sparkling. Maintaining clean and healthy spa water is important for the user's experience, and also extends the longevity of the spa.

Thanks to a new function available on all spas, the pump can also quickly and conveniently deflate the spa for transport or storage.







## INDEX

## ॐ AIRJET™




ST. LUCIA 60037 pg 26-29




MIAMI 60001 pg 30-33



BAHAMAS SIGNATURE 60005 pg 34-37



FIJI SIGNATURE 60085 pg 38-41



HAVANA SMART 60035 pg 42-45



BORACAY SMART 60175 pg 46-49



IBIZA 60015 pg 50-53




HOLLYWOOD LUXE 60059 pg 54-57



HAWAII SMART 60261 pg 58-61



ZURICH ENERGYSENSE 60065 pg 62-65



BUDAPEST ENERGYSENSE 60179 pg 66-69



HONOLULU SMART 60019 pg 70-73



HAWAII SMART 60021 pg 74-77



ST. MORITZ SMART 60023 pg 78-81



GRENADA SMART 60135 pg 82-85

## ॐ AIRJET PLUS®



MILAN SMART 60029 pg 88-91



HELSINK SMART 60025 pg 92-95

## 場 HYDROJET PRO®



SANTORINI SMART 60075 pg 98-101



MALDIVES SMART 60033 pg 102-105



SAN FRANCISCO SMART 60161 pg 106-109

## XTRAS



UNDERWATER VACUUM 60323 | pg 112



7-COLOR LED LIGHT 60303 | pg 117



RECHARGEABLE UNDERWATER VACUUM 60327 | pg 113



DOME 60305 | pg 118



PILLOW 60307 | pg 114



CANOPY 60304 | pg 119



PADDED PILLOW 60316 | pg 114



FLOOR PROTECTOR 60334 | pg 119



SPA SEAT



ALL IN ONE TOOL SET 60310 | pg 120



SOOTHING LED WATERFALL 60322 | pg 116




FILTER CARTRIDGE (VI) 60311 | pg 121



DRINK HOLDER 60306 | pg 117



POOL & SPA TEST STRIPS 58142 | pg 12



## LAY-Z-SPA<sub>®</sub> 2024

## SHANGHAI

Bestway Inflatables & Material Corp. No. 208 Jin Yuan Wu Road, Shanghai, 201812, China Tel: +86 21 6913 5588

## HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: +852 2997 7169 E-mail: info@bestwaycorp.hk

## U.S.A.

Bestway (USA) Inc. 3435 S. McQueen Road, Chandler, AZ 85286, United States of America Tel: +1 480 838 3888 E-mail: info@bestwaycorp.us

## EUROPE

Via Resistenza, 5 20098 San Giuliano M.se (Mi), Italy Tel: +39 02 9884 881

## **EASTERN EUROPE**

Bestway Eastern Europe Sp. z o.o. UI. Ekologiczna 24 05-080 Klaudyn Poland Tel: +48 22 60 22 508

## LATIN AMERICA

Bestway Central & South America Ltda Salar Ascotan 1282, Parque Enea, Pudahuel, Santiago, Chile Tel: +562 3203 6438

## BRAZIL

Bestway Brazil Av Cerro Azul, 2783 Maringá - PR - Brazil Zip Code: 87010-055 Tel: +55 44 3046 2950 / +0800 001 8400 E-mail: info@bestwaycorp.com.br

## **AUSTRALIA**

Bestway Australia Pty Limited Unit 2/98-104 Carnarvon St Silverwater, NSW 2128, Australia Tel: +61 2 9037 1388

## FRANCE

Bestway France Sarl 1681 route des Dolines - Les Taissounières - Belem 06560 VALBONNE Tel: +33 4 97 04 92 99

## GERMANY

Bestway Deutschland GmbH Parkstraße 11 Tel: +49 4321 555 05 - 0 E-mail: info@bestwaycorp.de

## **SCANDINAVIA**

Bestway Scandinavia A/S Amagertorv 17, 3" FL DK-1160 Copenhagen K Denmark Tel: +45 78744569 E-mail: info@bestwayscandinavia.eu



WWW.BESTWAYCORP.COM | f (i) |







©2023 Bestway Inflatables & Material Corp. All rights reserved. ® ™ Trademarks owned and managed by Bestway Inflatables & Material Corp.